

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	5147	((MultiMediaCard\$2 or MMC\$1 or (flash adj2 memory) or SanDisk\$1 or (SD with card\$1) or CompactFlash\$1 or (removable adj2 memory) or (IC adj2 card\$1) or (Smart adj2 card\$1) or (IC adj2 Chip) or (smart with card\$1) or (chip adj2 card\$1) or (Integrated adj2 circuit\$1) or (IOC)) or (Microprocessor adj2 card\$1)) (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client \$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Processo\$4 or \$4machin \$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4) (Firmware \$4 or PLD or FPGA or Circuit\$4) (\$4Authenticat \$5 or \$4Authoriz\$6 or \$4Permi\$6 or \$4Verif\$8 or \$4Certif\$8 or \$4Validat\$6 \$4Approv\$6 or \$4Confir\$7 or \$4Credent\$6) (Configur \$5 or Organiz\$4 or Setup \$4 or Arrang\$4 or Install \$6 or Establish\$4 or Setting or Parameter) (\$4Boot\$4 or \$4Restart\$4 or \$4Power\$4 or \$4Reset \$4 or Shutdown\$4) \$4Certif\$8 \$4Authenticat \$5 Configur\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 12:49

S2	4289	S1 ((MultiMediaCard\$2 or MMC\$1 or (flash adj2 memory) or SanDisk\$1 or (SD with card\$1) or CompactFlash\$1 or (removable adj2 memory) or (IC adj2 card\$1) or (Smart adj2 card\$1) or (IC adj2 Chip) or (smart with card\$1) or (chip adj2 card\$1) or (Integrated adj2 circuit\$1) or (IOC)) or (Microprocessor adj2 card\$1) or (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client \$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Process\$4 or \$4machin \$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4) or (Firmware \$4 or PLD or FPGA or Circuit\$4) ) (\$4Authenticat \$5 or \$4Authoriz\$6 or \$4Permi\$6 or \$4Verif\$8 or \$4Certif\$8 or \$4Validat\$6 \$4Approv\$6 or \$4Confir\$7 or \$4Credent\$6) (Configur \$5 or Organiz\$4 or Setup \$4 or Arrang\$4 or Install \$6 or Establish\$4 or Setting or Parameter) (enable\$4 or disabl\$4 or \$4Allow\$4 or \$4Permit\$4 or Read\$4 or Writ\$4) (Speed\$4 or Faste\$4 or Accelerat\$4 or Clock\$4 or Rate\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 13:16
S3	64	S2 ( (\$4Authenticat\$5 or \$4Authoriz\$6 or \$4Permi\$6 or \$4Verif\$8 or \$4Certif\$8 or \$4Validat\$6 \$4Approv\$6 or \$4Confir\$7 or \$4Credent\$6) with (Configur\$5 or Organiz\$4 or Setup\$4 or Arrang\$4 or Install\$6 or Establish\$4 or Setting or Parameter) with (enable\$4 or disabl\$4 or \$4Allow\$4 or \$4Permit\$4 or Read\$4 or Writ\$4) with (Speed\$4 or Faste\$4 or Accelerat\$4 or Clock\$4 or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 13:24

		Rate\$4) )				
S4	15	S3 @ad<"20020730"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 13:29
S5	38	(US-20040049674-\$).did. or (US-7270193-\$ or US- 7254711-\$ or US-7159114- \$ or US-7107247-\$ or US- 7039802-\$ or US-7016666- \$ or US-6854056-\$ or US- 6647494-\$ or US-5966446- \$ or US-5568552-\$ or US- 6542610-\$ or US-6185678- \$ or US-6263431-\$ or US- 7174457-\$).did. or (WO- 2065696-\$).did. or (US- 20020098830-\$ or US- 5721781-\$ or US-6427091- \$ or US-20030046544-\$ or WO-200062519-\$).did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 13:35
S6	36	S5 @ad<"20020730"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 13:35
S7	2218	713/168.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 13:38
S8	838	713/170.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 13:38
S9	59903	"380".clas. "726".clas. "713".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 13:39

S10	558	S2 ( (\$4Authenticat\$5 or \$4Authoriz\$6 or \$4Permi\$6 or \$4Verif\$8 or \$4Certif\$8 or \$4Validat\$6 \$4Approv\$6 or \$4Confir\$7 or \$4Credent\$6) same (Configur\$5 or Organiz\$4 or Setup\$4 or Arrang\$4 or Install\$6 or Establish\$4 or Setting or Parameter) same (enable\$4 or disabl\$4 or \$4Allow\$4 or \$4Permit\$4 or Read\$4 or Writ\$4) same (Speed\$4 or Faste\$4 or Accelerat\$4 or Clock\$4 or Rate\$4) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 13:39
S11	167	S9 S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 13:42
S12	61	S11 @ad< "20020730"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 14:36
S13	0	S12 ( \$4Certif\$8 with \$4Authenticat\$5 with Configur\$5 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 14:43
S14	187	S1 ( \$4Certif\$8 with \$4Authenticat\$5 with Configur\$5 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 14:44
S15	1007	713/156.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 14:45
S16	11	S15 S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 14:45

S17	4	S16 @ad< "20020730"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 14:45
S18	659	( \$4Certif\$8 with \$4Authenticat\$5 with Configur\$5 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 15:18
S19	371	S9 S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 15:32
S20	85	S1 S19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 15:33
S21	26	S20 @ad< "20020730"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 15:34
S22	7	(US-20030035547-\$).did. or (US-6775770-\$ or US- 7302487-\$ or US-7127611- \$ or US-6918042-\$ or US- 6314521-\$ or US-5883956- \$).did.	US-PGPUB; USPAT	AND	ON	2008/03/26 16:04
S23	45	S5 S22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 16:04
S24	8	S23 ( \$4Certif\$8 with \$4Authenticat\$5 with Configur\$5 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 16:04

S25	1	10/618873	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 16:07
S26	21453	(texas near instrum\$5).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 16:13
S27	2	S26 ( \$4Certif\$8 with \$4Authenticat\$5 with Configur\$5 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 16:13
S28	7	( ((MultiMediaCard\$2 or MMC\$1 or (flash adj2 memory) or SanDisk\$1 or (SD with card\$1) or CompactFlash\$1 or (removable adj2 memory) or (IC adj2 card\$1) or (Smart adj2 card\$1) or (IC adj2 Chip) or (smart with card\$1) or (chip adj2 card\$1) or (Integrated adj2 circuit\$1) or (IOC) or (Microprocessor adj2 card\$1)) (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client \$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Processo\$4 or \$4machin \$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4) (Firmware \$4 or PLD or FPGA or Circuit\$4) (\$4Authenticat \$5 or \$4Authoriz\$6 or \$4Permi\$6 or \$4Verif\$8 or \$4Certif\$8 or \$4Validat\$6 \$4Approv\$6 or \$4Confir\$7 or \$4Credent\$6) (Configur \$5 or Organiz\$4 or Setup \$4 or Arrang\$4 or Install \$6 or Establish\$4 or Setting or Parameter) (\$4Boot\$4 or \$4Restart\$4 or \$4Power\$4 or \$4Reset	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 16:17

		\$4 or Shutdown\$4) \$4Certif\$8 \$4Authenticat \$5 Configur\$5 ).clm.				
S29	8	S24 @ad<"20020730"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 16:26
S30	8	S29 ( \$4Certif\$8 with \$4Authenticat\$5 with Configur\$5 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 16:27
S31	8	S29 ( \$4Certif\$8 same \$4Authenticat\$5 same Configur\$5 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 16:29
S32	5	(US-20030035547-\$).did. or (US-6314521-\$ or US- 6775770-\$ or US-7127611- \$ or US-7302487-\$).did.	US-PGPUB; USPAT	AND	ON	2008/03/26 16:40
S33	1007	713/156.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 16:41
S34	422	713/180.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 16:41
S35	1	S25 ( \$4Certif\$8 same \$4Authenticat\$5 same Configur\$5 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 16:43
S36	1	S25 ( \$4Certif\$8 \$4Authenticat\$5 Configur \$5 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 16:43

S37	4429	709/227.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 16:49
S38	11	S37 ( \$4Certif\$8 with \$4Authenticat\$5 with Configur\$5 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 16:49
S39	7	S38 @ad<"20020730"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 16:50
S40	5	( \$4Certif\$8 \$4Authenticat \$5 Configur\$5 ).ti. ( \$4Certif\$8 same \$4Authenticat\$5 same Configur\$5 ).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 16:51
S41	1	S40 @ad<"20020730"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 16:51
S42	5	(US-20030035547-\$).did. or (US-6314521-\$ or US- 6775770-\$ or US-7127611- \$ or US-7302487-\$).did.	US-PGPUB; USPAT	AND	ON	2008/03/26 17:38
S43	5	(US-20030035547-\$).did. or (US-6314521-\$ or US- 6775770-\$ or US-7127611- \$ or US-7302487-\$).did.	US-PGPUB; USPAT	AND	ON	2008/04/07 15:16
S44	5	( \$4Certif\$8 \$4Authenticat \$5 Configur\$5 ).ti. ( \$4Certif\$8 same \$4Authenticat\$5 same Configur\$5 ).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/07 15:16
S45	5	S43 @ad<"20020730"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/07 15:29



S46	1	S44 @ad<"20020730"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/07 15:29
S47	2	"6463534".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/07 16:06
S48	2	"6647494".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/07 16:06

4/ 7/ 2008 9:22:34 PM

C:\Documents and Settings\tgergiso\My Documents\EAST\Workspaces\10618873  
\10618873New.wsp